


ML 230V 2p. 50Hz. 3000 ot/min

| Typ | výkon | | otáčky | Prúd | Účinnosť | | Rozbehový prúd | | | Parametre kondenzátora práce | Parametre kondenzátora rozbehu | Hlučnost LwA | váha |
|-----------|-------|------|--------|------|----------|------|-------------------|-----|-----|------------------------------------|--------------------------------------|-----------------|------|
| | kw | Hp | | | cos | % | | Mr | Mm | | | | |
| | | | 1/min | A | | - | A | - | - | | | dB | kg |
| ML 63 1-2 | 0.18 | 0.25 | 2750 | 1.31 | 65 | 0.92 | 8 | 1.7 | 2.5 | 8 µF / 450 V | 40 µF / 250 V | 70 | 4.2 |
| ML 63 2-2 | 0.25 | 0.37 | 2760 | 1.76 | 67 | 0.92 | 10 | 1.7 | 2.5 | 10 µF / 450 V | 50 µF / 250 V | 73 | 4.7 |
| ML 71 1-2 | 0.37 | 0.50 | 2780 | 2.42 | 70 | 0.95 | 15 | 1.7 | 2.5 | 12 µF / 450 V | 75 µF / 250 V | 75 | 5.3 |
| ML 71 2-2 | 0.55 | 0.75 | 2790 | 3.45 | 73 | 0.95 | 20 | 1.7 | 2.5 | 16 µF / 450 V | 100 µF / 250 V | 76 | 7.4 |
| ML 80 1-2 | 0.75 | 1.0 | 2800 | 4.54 | 74 | 0.97 | 30 | 1.7 | 2.5 | 20 µF / 450 V | 100 µF / 250 V | 76 | 9.5 |
| ML 80 2-2 | 1.1 | 1.5 | 2810 | 6.45 | 76 | 0.97 | 40 | 1.7 | 2.5 | 25 µF / 450 V | 150 µF / 250 V | 79 | 11.2 |
| ML 90S-2 | 1.5 | 2.0 | 2810 | 8.62 | 78 | 0.97 | 55 | 1.8 | 2.5 | 40 µF / 450 V | 150 µF / 250 V | 84 | 14 |
| ML 90L-2 | 2.2 | 3.0 | 2810 | 12.5 | 79 | 0.97 | 75 | 1.8 | 2.2 | 50 µF / 450 V | 250 µF / 250 V | 84 | 17 |
| ML 100L-2 | 3.0 | 4.0 | 2830 | 16.6 | 80 | 0.98 | 95 | 2.0 | 2.2 | 60 µF / 450 V | 400 µF / 300 V | 88 | 25 |
| ML112M-2 | 3.7 | 5.0 | 2850 | 20.5 | 80 | 0.98 | 120 | 2.0 | 2.0 | 60 µF / 450 V | 500 µF / 300 V | 90 | 30.5 |

ML 230V 4p. 50Hz. 1400 ot/mim

| | | | | | | | | | | | | | |
|------------|------|------|------|------|------|------|-----|-----|-----|---------------|----------------|----|------|
| ML 63 1-4 | 0.12 | 0.16 | 1350 | 1.04 | 55 | 0.91 | 6 | 1.6 | 2.5 | 10 µF / 450 V | 40 µF / 250 V | 64 | 4 |
| ML 63 2-4 | 0.18 | 0.25 | 1360 | 1.54 | 56 | 0.91 | 8.5 | 1.6 | 2.5 | 12 µF / 450 V | 40 µF / 250 V | 64 | 4.8 |
| ML 71 1-4 | 0.25 | 0.37 | 1380 | 1.94 | 61 | 0.92 | 10 | 1.6 | 2.5 | 14 µF / 450 V | 50 µF / 250 V | 66 | 5.9 |
| ML 71 2-4 | 0.37 | 0.50 | 1380 | 2.8 | 62.5 | 0.92 | 15 | 1.5 | 2.5 | 16 µF / 450 V | 75 µF / 250 V | 68 | 6.9 |
| ML 80 1-4 | 0.55 | 0.75 | 1400 | 3.8 | 67 | 0.94 | 20 | 1.7 | 2.5 | 20 µF / 450 V | 100 µF / 250 V | 71 | 9.6 |
| ML 80 2-4 | 0.75 | 1.0 | 1410 | 4.75 | 73 | 0.94 | 30 | 1.7 | 2.5 | 25 µF / 450 V | 150 µF / 250 V | 71 | 10.8 |
| ML 90S-4 | 1.1 | 1.5 | 1410 | 6.76 | 74.5 | 0.95 | 40 | 1.8 | 2.2 | 30 µF / 450 V | 150 µF / 250 V | 74 | 13.5 |
| ML 90L-4 | 1.5 | 2.0 | 1420 | 9.03 | 76 | 0.95 | 55 | 1.8 | 2.2 | 40 µF / 450 V | 200 µF / 250 V | 79 | 16.5 |
| ML 100L1-4 | 2.2 | 3.0 | 1430 | 12.6 | 78 | 0.97 | 75 | 1.8 | 2.2 | 50 µF / 450 V | 300 µF / 250 V | 79 | 24 |
| ML100L2-4 | 3 | 4.0 | 1440 | 17.0 | 79 | 0.97 | 95 | 1.8 | 2.2 | 60 µF / 450 V | 400 µF / 250 V | 83 | 30 |
| ML112M-4 | 3.7 | 5.0 | 1440 | 20.7 | 80 | 0.97 | 120 | 2.0 | 2.0 | 60 µF / 450 V | 500 µF / 250 V | 86 | 36 |

Montážní a celkové rozměry



| TYP | Montážne rozmery | | | | | | | | | | | | | | | | | | | Celkové rozmery | | | | | | |
|------|------------------|-----|----|----|----|---|------|-----|----|-----|-----|-----|---|----|-----|-----|-----|-----|---|-----------------|-----|-----|-----|-----|-----|-----|
| | B3 | | | | | | | B5 | | | | | | | B14 | | | | | | | | | | | |
| | A | B | C | D | E | F | G | H | K | M | N | P | R | S | T | M | N | P | R | S | T | AA | AC | AD | HD | L |
| 63 | 100 | 80 | 40 | 11 | 23 | 4 | 8.5 | 63 | 7 | 115 | 95 | 140 | 0 | 10 | 3.0 | 75 | 60 | 90 | 0 | M5 | 2.5 | 120 | 130 | 179 | 116 | 212 |
| 71 | 112 | 90 | 45 | 14 | 30 | 5 | 11 | 71 | 7 | 130 | 110 | 160 | 0 | 10 | 3.5 | 85 | 70 | 105 | 0 | M6 | 2.5 | 132 | 145 | 194 | 123 | 255 |
| 80 | 125 | 100 | 50 | 19 | 40 | 6 | 15.5 | 80 | 10 | 165 | 130 | 200 | 0 | 12 | 3.5 | 100 | 80 | 120 | 0 | M6 | 3.0 | 157 | 165 | 223 | 143 | 290 |
| 90S | 140 | 100 | 56 | 24 | 50 | 8 | 20 | 90 | 10 | 165 | 130 | 200 | 0 | 12 | 3.5 | 115 | 95 | 140 | 0 | M8 | 3.0 | 172 | 185 | 240 | 150 | 335 |
| 90L | 140 | 125 | 56 | 24 | 50 | 8 | 20 | 90 | 10 | 165 | 130 | 200 | 0 | 12 | 3.5 | 115 | 95 | 140 | 0 | M80 | 3.0 | 172 | 185 | 240 | 150 | 365 |
| 100L | 160 | 140 | 63 | 28 | 60 | 8 | 24 | 100 | 12 | 215 | 180 | 250 | 0 | 15 | 4.0 | 130 | 110 | 160 | 0 | M8 | 3.5 | 196 | 205 | 260 | 160 | 445 |
| 112M | 190 | 140 | 70 | 28 | 60 | 8 | 24 | 112 | 12 | 215 | 180 | 250 | 0 | 15 | 4.0 | 130 | 110 | 160 | 0 | M8 | 3.5 | 222 | 230 | 295 | 183 | 453 |