







## GEAR UNIT SELECTION TABLES

## Performance parameter



P <sub>1n</sub> [kW]	n <sub>2</sub> [r/min]	M <sub>2n</sub> [Nm]	i	fs			Page	
0.12	26.3	42	53.33	2.9	TRC01	63B5	6314	21
	30.5	36	45.89	3.3	TRCF01	63B5	6314	21
	34.9	32	40.10	3.8	TRCZ01	63B5	6314	21
	39.5	28	35.47	4.3				
	49.1	22	28.50	5.4				
	59.4	18.5	23.56	6.5				
	70.6	15.6	19.83	7.7				
	78.4	14.0	17.86	7.1				
	95.8	11.5	14.62	10.4				
	101	10.8	13.80*	9.2				
	118	9.4	11.90	12.8				
	143	7.7	9.81	13.0				
	153	7.2	9.17	11.1				
	181	6.1	7.72	13.2				
	246	4.5	5.69	13.4				
	302	3.6	4.63	16.5				
	366	3.0	3.82	20.0				
0.18	16.9	98	53.33	1.2	TRC01	71B5	7116	21
	19.6	84	45.89	1.4	TRCF01	71B5	7116	21
	22.4	74	40.10	1.6	TRCZ01	71B5	7116	21
	25.4	65	35.47	1.8				
	31.6	52	28.50	2.3				
	26.3	63	53.33	1.9	TRC01	63B5	6324	21
	30.5	54	45.89	2.2	TRCF01	63B5	6324	21
	34.9	47	40.10	2.5	TRCZ01	63B5	6324	21
	39.5	42	35.47	2.9				
	49.1	34	28.50	3.6				
	59.4	28	23.56	4.3				
	70.6	23	19.83	5.1				
	78.4	21	17.86	4.8				
	95.8	17.2	14.62	7.0				
	101	16.3	13.80*	6.1				
	118	14.0	11.90	8.6				
	143	11.6	9.81	8.6				
	153	10.8	9.17	7.4				
	181	9.1	7.72	8.8				
	246	6.7	5.69	8.9				
	302	5.5	4.63	11.0				
	366	4.5	3.82	13.3				
	16.7	99	54.00*	2.0	TRC02	71B5	7116	23
	19.4	85	46.46*	2.3	TRCF02	71B5	7116	23
	22.2	74	40.60*	2.7	TRCZ02	71B5	7116	23
	25.1	66	35.91*	3.0				
	31.2	53	28.88*	3.8				
	25.9	64	54.00*	3.1	TRC02	63B5	6324	23
	30.1	55	46.46*	3.7	TRCF02	63B5	6324	23
	34.5	48	40.60*	4.2	TRCZ02	63B5	6324	23

**TRC..P(IEC)..(kW)**
**PERFORMANCE PARAMETER**



$P_{1n}$ [kW]	$n_2$ [r/min]	$M_{2n}$ [Nm]	$i$	$f_s$			Page	
0.25	16.9	136	53.33	0.88	TRC01	71B5/B14	7126	21
	19.6	117	45.89	1.0	TRCF01	71B5/B14	7126	21
	22.4	102	40.10	1.2	TRCZ01	71B5/B14	7126	21
	25.4	90	35.47	1.3				
	31.6	73	28.50	1.7				
	26.3	87	53.33	1.4	TRC01	71B5/B14	7114	21
	30.5	75	45.89	1.6	TRCF01	71B5/B14	7114	21
	34.9	66	40.10	1.8	TRCZ01	71B5/B14	7114	21
	39.5	58	35.47	2.1				
	49.1	47	28.50	2.6				
	59.4	39	23.56	3.1				
	70.6	32	19.83	3.7				
	78.4	29	17.86	3.4				
	95.8	24	14.62	5.0				
	101	23	13.80*	4.4				
	118	19.5	11.90	6.2				
	143	16.1	9.81	6.2				
	153	15.0	9.17	5.3				
	181	12.6	7.72	6.3				
	246	9.3	5.69	6.4				
	302	7.6	4.63	7.9				
	366	6.3	3.82	9.6				
	16.7	138	54.00*	1.5	TRC02	71B5/B14	7126	23
	19.4	118	46.46*	1.7	TRCF02	71B5/B14	7126	23
	22.2	103	40.60*	1.9	TRCZ02	71B5/B14	7126	23
	25.1	91	35.91*	2.2				
	31.2	74	28.88*	2.7				
	25.9	88	54.00*	2.3	TRC02	71B5/B14	7114	23
	30.1	76	46.46*	2.6	TRCF02	71B5/B14	7114	23
	34.5	66	40.60*	3.0	TRCZ02	71B5/B14	7114	23
	39.0	59	35.91*	3.4				
	48.5	47	28.88*	4.2				
0.37	22.4	151	40.10	0.79	TRC01	80B5/B14	8016	21
	25.4	134	35.47	0.90	TRCF01	80B5/B14	8016	21
	31.6	107	28.50	1.1	TRCZ01	80B5/B14	8016	21
	38.2	89	23.56	1.4				
	26.3	129	53.33	0.93	TRC01	71B5/B14	7124	21
	30.5	111	45.89	1.1	TRCF01	71B5/B14	7124	21
	34.9	97	40.10	1.2	TRCZ01	71B5/B14	7124	21
	39.5	86	35.47	1.4				
	49.1	69	28.50	1.7				
	59.4	57	23.56	2.1				
	70.6	48	19.83	2.5				
	78.4	43	17.86	2.3				
	95.8	35	14.62	3.4				
	101	33	13.80*	3.0				
	118	29	11.90	4.2				
	143	24	9.81	4.2				
	153	22	9.17	3.6				
	181	19	7.72	4.3				
	246	14	5.69	4.4				
	302	11	4.63	5.3				
	366	9	3.82	6.5				

P <sub>1n</sub> [kW]	n <sub>2</sub> [r/min]	M <sub>2n</sub> [Nm]	i	fs			Page	
0.37	16.7	204	54.00*	1.0	TRC02	80B5/B14	8016	23
	19.4	175	46.46*	1.1	TRCF02	80B5/B14	8016	23
	22.2	153	40.60*	1.3	TRCZ02	80B5/B14	8016	23
	25.1	135	35.91*	1.5				
	31.2	109	28.88*	1.8				
	25.9	131	54.00*	1.5	TRC02	71B5/B14	7124	23
	30.1	113	46.46*	1.8	TRCF02	71B5/B14	7124	23
	34.5	98	40.60*	2.0	TRCZ02	71B5/B14	7124	23
	39.0	87	35.91*	2.3				
	48.5	70	28.88*	2.9				
	58.7	58	23.85*	3.5				
	81.9	41	17.10	3.9				
	17.5	193	51.30*	1.6	TRC03	80B5/B14	8016	25
	20.4	167	44.18*	1.8	TRCF03	80B5/B14	8016	25
	23.3	146	38.63	2.1	TRCZ03	80B5/B14	8016	25
	26.3	129	34.20*	2.3				
	29.4	115	30.57	2.6				
	27.3	124	51.30*	2.4	TRC03	71B5	7124	25
	31.7	107	44.18*	2.8	TRCF03	71B5	7124	25
	36.2	94	38.63	3.2	TRCZ03	71B5	7124	25
	40.9	83	34.20*	3.6				
0.55	31.6	160	28.50	0.75	TRC01	80B5/B14	8026	21
	38.2	132	23.56	0.91	TRCF01	80B5/B14	8026	21
	45.4	111	19.83	1.1	TRCZ01	80B5/B14	8026	21
	34.9	144	40.10	0.8	TRC01	80B5/B14	8014	21
	39.5	128	35.47	0.9	TRCF01	80B5/B14	8014	21
	49.1	103	28.50	1.2	TRCZ01	80B5/B14	8014	21
	59.4	85	23.56	1.4				
	70.6	71	19.83	1.7				
	78.4	64	17.86	1.6				
	95.8	53	14.62	2.3				
	101	50	13.80*	2.0				
	118	43	11.90	2.8				
	143	35	9.81	2.8				
	153	33	9.17	2.4				
	181	28	7.72	2.9				
	246	20	5.69	2.9				
	302	17	4.63	3.6				
	366	14	3.82	4.4				
	19.4	260	46.46*	0.77	TRC02	80B5/B14	8026	23
	22.2	227	40.60*	0.88	TRCF02	80B5/B14	8026	23
	25.1	201	35.91*	1.0	TRCZ02	80B5/B14	8026	23
	31.2	162	28.88*	1.2				
	37.7	134	23.85*	1.5				
	25.9	194	54.00*	1.0	TRC02	80B5/B14	8014	23
	30.1	167	46.46*	1.2	TRCF02	80B5/B14	8014	23
	34.5	146	40.60*	1.4	TRCZ02	80B5/B14	8014	23
	39.0	129	35.91*	1.5				
	48.5	104	28.88*	1.9				
	58.7	86	23.85*	2.3				



**TRC..P(IEC)..(kW)**
**PERFORMANCE PARAMETER**



P <sub>1n</sub> [kW]	n <sub>2</sub> [r/min]	M <sub>2n</sub> [Nm]	i	fs			Page		
0.55	69.7	72	20.08*	2.8	TRC02	80B5/B14	8014	23	
	81.9	62	17.10	2.6	TRCF02	80B5/B14	8014	23	
	94.5	53	14.81*	3.7	TRCZ02	80B5/B14	8014	23	
	17.5	287	51.30*	1.0	TRC03	80B5/B14	8026	25	
	20.4	248	44.18*	1.2	TRCF03	80B5/B14	8026	25	
	23.3	216	38.63	1.4	TRCZ03	80B5/B14	8026	25	
	26.3	192	34.20*	1.6					
	29.4	171	30.57	1.8					
	27.3	185	51.30*	1.6	TRC03	80B5/B14	8014	25	
	31.7	159	44.18*	1.9	TRCF03	80B5/B14	8014	25	
	36.2	139	38.63	2.2	TRCZ03	80B5/B14	8014	25	
	40.9	123	34.20*	2.4					
	45.8	110	30.57	2.7					
	56.0	90	24.99	3.3					
	0.75	49.1	140	28.50	0.86	TRC01	80B5/B14	8024	21
		59.4	116	23.56	1.0	TRCF01	80B5/B14	8024	21
		70.6	97	19.83	1.2	TRCZ01	80B5/B14	8024	21
78.4		88	17.86	1.1					
95.8		72	14.62	1.7					
101		68	13.80*	1.5					
118		58	11.90	2.1					
143		48	9.81	2.1					
153		45	9.17	1.8					
181		38	7.72	2.1					
246		28	5.69	2.1					
302		23	4.63	2.6					
366		19	3.82	3.2					
31.2		221	28.88*	0.91	TRC02	90B5/B14	90S6	23	
37.7		182	23.85*	1.1	TRCF02	90B5/B14	90S6	23	
44.8		153	20.08*	1.3	TRCZ02	90B5/B14	90S6	23	
30.1		228	46.46*	0.88	TRC02	80B5/B14	8024	23	
34.5		199	40.60*	1.0	TRCF02	80B5/B14	8024	23	
39.0		176	35.91*	1.1	TRCZ02	80B5/B14	8024	23	
48.5		142	28.88*	1.4					
58.7		117	23.85*	1.7					
69.7		99	20.08*	2.0					
81.9		84	17.10	1.9					
94.5		73	14.81*	2.7					
106		65	13.21	2.5					
116.2		59	12.05	3.4					
141		49	9.93	3.3					
159		43	8.78	2.8					
189		36	7.39	3.3					
257		27	5.45	3.7					
97.0		71	28.88*	2.8	TRC02	80B5/B14	8012	23	
117.4	59	23.85*	3.4	TRCF02	80B5/B14	8012	23		
139.4	49	20.08*	4.1	TRCZ02	80B5/B14	8012	23		
163.7	42	17.10	3.8						



P <sub>1n</sub> [kW]	n <sub>2</sub> [r/min]	M <sub>2n</sub> [Nm]	i	fs			Page	
0.75	17.5	392	51.30*	0.77	TRC03	90B5/B14	90S6	25
	20.4	338	44.18*	0.89	TRCF03	90B5/B14	90S6	25
	23.3	295	38.63	1.0	TRCZ03	90B5/B14	90S6	25
	26.3	261	34.20*	1.1				
	29.4	234	30.57	1.3				
	36.0	191	24.99	1.6				
	27.3	252	51.30*	1.2	TRC03	80B5/B14	8024	25
	31.7	217	44.18*	1.4	TRCF03	80B5/B14	8024	25
	36.2	190	38.63	1.6	TRCZ03	80B5/B14	8024	25
	40.9	168	34.20*	1.8				
	45.8	150	30.57	2.0				
	56.0	123	24.99	2.4				
	66.2	104	21.15*	2.7				
	72.8	94	19.24*	3.0				
	76.9	89	18.21*	3.1				
	91.5	75	15.30*	3.7				
	105	65	13.30*	3.8				
	111	62	12.60	4.0				
	17.5	392	51.30*	1.3	TRC04	90B5/B14	90S6	27
	20.4	338	44.18*	1.5	TRCF04	90B5/B14	90S6	27
	23.3	295	38.63	1.7	TRCZ04	90B5/B14	90S6	27
	26.3	261	34.20*	1.8				
	29.4	234	30.57	2.1				
	27.3	252	51.30*	2.0	TRC04	80B5/B14	8024	27
	31.7	217	44.18*	2.3	TRCF04	80B5/B14	8024	27
	36.2	190	38.63	2.6	TRCZ04	80B5/B14	8024	27
	40.9	168	34.20*	2.9				
	45.8	150	30.57	3.2				
	56.0	123	24.99	3.9				
	66.2	104	21.15*	4.0				
1.1	70.6	143	19.83	0.84	TRC01	90B5/B14	90S4	21
	78.4	129	17.86	0.78	TRCF01	90B5/B14	90S4	21
	95.8	105	14.62	1.1	TRCZ01	90B5/B14	90S4	21
	101	99	13.80*	1.0				
	118	86	11.90	1.4				
	143	71	9.81	1.4				
	153	66	9.17	1.2				
	181	56	7.72	1.4				
	246	41	5.69	1.5				
	302	33	4.63	1.8				
	366	28	3.82	2.2				
	285	35	9.81	2.8	TRC01	80B5/B14	8022	21
	305	33	9.17	2.4	TRCF01	80B5/B14	8022	21
	363	28	7.72	2.9	TRCZ01	80B5/B14	8022	21
	492	20	5.69	2.9				
	605	17	4.63	3.6				
	733	14	3.82	4.4				
	39.0	259	35.91*	0.77	TRC02	90B5/B14	90S4	23
	48.5	208	28.88*	1.0	TRCF02	90B5/B14	90S4	23
	58.7	172	23.85*	1.2	TRCZ02	90B5/B14	90S4	23
	69.7	145	20.08*	1.4				
	81.9	123	17.10	1.3				



**TRC..P(IEC)..(kW)**
**PERFORMANCE PARAMETER**

$P_{1n}$ [kW]	$n_2$ [r/min]	$M_{2n}$ [Nm]	$i$	$f_s$			Page	
1.1	94.5	107	14.81*	1.9	TRC02	90B5/B14	90S4	23
	106	95	13.21	1.7	TRCF02	90B5/B14	90S4	23
	116	87	12.05	2.3	TRCZ02	90B5/B14	90S4	23
	141	72	9.93	2.2				
	159	63	8.78	1.9				
	189	53	7.39	2.3				
	257	39	5.45	2.5				
	316	32	4.43	3.1				
	383	26	3.66	3.8				
	27.3	370	51.30*	0.81	TRC03	90B5/B14	90S4	25
	31.7	318	44.18*	0.94	TRCF03	90B5/B14	90S4	25
	36.2	278	38.63	1.1	TRCZ03	90B5/B14	90S4	25
	40.9	246	34.20*	1.2				
	45.8	220	30.57	1.4				
	56.0	180	24.99	1.7				
	66.2	152	21.15*	1.8				
	72.8	139	19.24*	2.0				
	76.9	131	18.21*	2.1				
	91.5	110	15.30*	2.5				
	72.5	139	38.63	2.2	TRC03	80B5/B14	8022	25
	81.9	123	34.20*	2.4	TRCF03	80B5/B14	8022	25
	91.6	110	30.57	2.7	TRCZ03	80B5/B14	8022	25
	112.0	90	24.99	3.3				
	132.4	76	21.15*	3.7				
	145.5	69	19.24*	4.0				
	153.8	66	18.21*	4.3				
	27.3	370	51.30*	1.4	TRC04	90B5/B14	90S4	27
	31.7	318	44.18*	1.6	TRCF04	90B5/B14	90S4	27
	36.2	278	38.63	1.8	TRCZ04	90B5/B14	90S4	27
	40.9	246	34.20*	1.9				
	45.8	220	30.57	2.2				
	56.0	180	24.99	2.7				
	66.2	152	21.15*	2.8				
	72.8	139	19.24*	3.0				
	76.9	131	18.21*	3.2				
	91.5	110	15.30*	3.8				
	105	96	13.30*	3.7				
1.5	118	117	11.90	1.0	TRC01	90B5/B14	90L4	21
	143	96	9.81	1.0	TRCF01	90B5/B14	90L4	21
	153	90	9.17	0.9	TRCZ01	90B5/B14	90L4	21
	181	76	7.72	1.1				
	246	56	5.69	1.1				
	302	45	4.63	1.3				
	366	38	3.82	1.6				
	305	45	9.17	1.8	TRC01	90B5/B14	90S2	21
	363	38	7.72	2.1	TRCF01	90B5/B14	90S2	21
	492	28	5.69	2.1	TRCZ01	90B5/B14	90S2	21
	605	23	4.63	2.6				
	733	19	3.82	3.2				

P <sub>1n</sub> [kW]	n <sub>2</sub> [r/min]	M <sub>2n</sub> [Nm]	i	fs			Page	
1.5	58.7	234	23.85*	0.85	TRC02	90B5/B14	90L4	23
	69.7	197	20.08*	1.0	TRCF02	90B5/B14	90L4	23
	81.9	168	17.10	1.0	TRCZ02	90B5/B14	90L4	23
	94.5	145	14.81*	1.4				
	106	130	13.21	1.2				
	116	118	12.05	1.7				
	141	98	9.93	1.6				
	159	86	8.78	1.4				
	189	73	7.39	1.7				
	257	54	5.45	1.9				
	316	44	4.43	2.3				
	383	36	3.66	2.8				
	212	65	13.21	2.5	TRC02	90B5/B14	90S2	23
	232	59	12.05	3.4	TRCF02	90B5/B14	90S2	23
	282	49	9.93	3.3	TRCZ02	90B5/B14	90S2	23
	319	43	8.78	2.8				
	379	36	7.39	3.3				
	514	27	5.45	3.7				
	40.9	336	34.20*	0.89	TRC03	90B5/B14	90L4	25
	45.8	300	30.57	1.0	TRCF03	90B5/B14	90L4	25
	56.0	245	24.99	1.2	TRCZ03	90B5/B14	90L4	25
	66.2	208	21.15*	1.3				
	72.8	189	19.24*	1.5				
	76.9	179	18.21*	1.6				
	91.5	150	15.30*	1.9				
	105	131	13.30*	1.9				
	111	124	12.60	2.0				
	128	107	10.93*	1.7				
	154	89	9.08	2.0				
	177	78	7.93*	2.3				
	222	62	6.31	2.9				
	255	54	5.48	2.8				
	311	44	4.50	3.4				
	374	37	3.74	4.1				
	256	54	10.93*	3.4	TRC03	90B5/B14	90S2	25
	308	45	9.08	4.0	TRCF03	90B5/B14	90S2	25
	353	39	7.93*	4.6	TRCZ03	90B5/B14	90S2	25
	26.3	523	34.20*	0.92	TRC04	100B5/B14	100L6	27
	29.4	467	30.57	1.0	TRCF04	100B5/B14	100L6	27
	36.0	382	24.99	1.3	TRCZ04	100B5/B14	100L6	27
	27.3	504	51.30*	1.0	TRC04	90B5/B14	90L4	27
	31.7	434	44.18*	1.2	TRCF04	90B5/B14	90L4	27
	36.2	379	38.63	1.3	TRCZ04	90B5/B14	90L4	27
	40.9	336	34.20*	1.4				
	45.8	300	30.57	1.6				
	56.0	245	24.99	2.0				
	66.2	208	21.15*	2.0				
	72.8	189	19.24*	2.2				
	76.9	179	18.21*	2.3				
	91.5	150	15.30*	2.8				
	105	131	13.30*	2.7				
	111	124	12.60	2.8				
	128	107	10.93*	2.6				
	154	89	9.08	3.1				
	177	78	7.93*	3.3				





**TRC..P(IEC)..(kW)**
**PERFORMANCE PARAMETER**

P <sub>1n</sub> [kW]	n <sub>2</sub> [r/min]	M <sub>2n</sub> [Nm]	i	fs			Page	
2.2	66.2	305	21.15*	0.92	TRC03	100B5/B14	100LA4	25
	72.8	277	19.24*	1.0	TRCF03	100B5/B14	100LA4	25
	76.9	262	18.21*	1.1	TRCZ03	100B5/B14	100LA4	25
	91.5	220	15.30*	1.1				
	105	192	13.30*	1.3				
	111	182	12.60	1.4				
	128	157	10.93*	1.1				
	154	131	9.08	1.4				
	177	114	7.93*	1.6				
	222	91	6.31	2.0				
	255	79	5.48	1.9				
	311	65	4.50	2.3				
	374	54	3.74	2.8				
	308	65	9.08	2.8	TRC03	90B5/B14	90L2	25
	353	57	7.93*	3.2	TRCF03	90B5/B14	90L2	25
	444	45	6.31	4.0	TRCZ03	90B5/B14	90L2	25
	511	39	5.48	3.8				
	36.0	560	24.99	0.86	TRC04	112B5/B14	112M6	27
	42.6	474	21.15*	0.9	TRCF04	112B5/B14	112M6	27
	46.8	431	19.24*	1.0	TRCZ04	112B5/B14	112M6	27
	49.4	408	18.21*	1.0				
	40.9	493	34.20*	1.0	TRC04	100B5/B14	100LA4	27
	45.8	440	30.57	1.1	TRCF04	100B5/B14	100LA4	27
	56.0	360	24.99	1.3	TRCZ04	100B5/B14	100LA4	27
	66.2	305	21.15*	1.4				
	72.8	277	19.24*	1.5				
	76.9	262	18.21*	1.6				
	91.5	220	15.30*	1.9				
	105	192	13.30*	1.8				
	111	182	12.60	1.9				
	128	157	10.93*	1.8				
	154	131	9.08	2.1				
	177	114	7.93*	2.3				
	222	91	6.31	2.9				
	255	79	5.48	2.9				
	311	65	4.50	3.5				
	374	54	3.74	4.3				
3	91.5	301	15.30*	0.93	TRC03	100B5/B14	100LB4	25
	105	261	13.30*	1.0	TRCF03	100B5/B14	100LB4	25
	111	248	12.60	1.0	TRCZ03	100B5/B14	100LB4	25
	128	215	10.93*	0.8				
	154	178	9.08	1.0				
	177	156	7.93*	1.2				
	222	124	6.31	1.5				
	255	108	5.48	1.4				
	311	88	4.50	1.7				
	374	73	3.74	2.0				
	45.8	601	30.57	0.80	TRC04	100B5/B14	100LB4	27
	56.0	491	24.99	1.0	TRCF04	100B5/B14	100LB4	27
	66.2	416	21.15*	1.0	TRCZ04	100B5/B14	100LB4	27
	72.8	378	19.24*	1.1				



# PERFORMANCE PARAMETER

**TRC..P(IEC)..(kW)**

P <sub>1n</sub> [kW]	n <sub>2</sub> [r/min]	M <sub>2n</sub> [Nm]	i	fs			Page	
3	76.9	358	18.21*	1.2	TRC04	100B5/B14	100LB4	27
	91.5	301	15.30*	1.4	TRCF04	100B5/B14	100LB4	27
	105	261	13.30*	1.3	TRCZ04	100B5/B14	100LB4	27
	111	248	12.60	1.4				
	128	215	10.93*	1.3				
	154	178	9.08	1.6				
	177	156	7.93*	1.7				
	222	124	6.31	2.1				
	255	108	5.48	2.1				
	311	88	4.50	2.6				
	374	73	3.74	3.1				
	308	89	9.08	3.1	TRC04	100B5/B14	100L2	27
	353	78	7.93*	3.3	TRCF04	100B5/B14	100L2	27
	444	62	6.31	4.2	TRCZ04	100B5/B14	100L2	27
	511	54	5.48	4.3				
4	177	208	7.93*	0.87	TRC03	112B5/B14	112M4	25
	222	165	6.31	1.1	TRCF03	112B5/B14	112M4	25
	255	144	5.48	1.0	TRCZ03	112B5/B14	112M4	25
	311	118	4.50	1.3				
	374	98	3.74	1.5				
	105	348	13.30*	1.0	TRC04	112B5/B14	112M4	27
	111	330	12.60	1.1	TRCF04	112B5/B14	112M4	27
	128	286	10.93*	1.0	TRCZ04	112B5/B14	112M4	27
	154	238	9.08	1.2				
	177	208	7.93*	1.3				
	222	165	6.31	1.6				
	255	144	5.48	1.6				
	311	118	4.50	2.0				
	374	98	3.74	2.3				
	308	119	9.08	2.4	TRC04	112B5/B14	112M2	27
	353	104	7.93*	2.5	TRCF04	112B5/B14	112M2	27
	444	83	6.31	3.1	TRCZ04	112B5/B14	112M2	27
	511	72	5.48	3.2				
	622	59	4.50	3.9				